			CURVE TABLE	×							
CURVE C1	RADIUS 25.00'	ARC LENGTH	H CHORD LENGT	H CHORD BEARING N 86'04'19" E	DELTA ANGLE 89°17'34"	BLOCK	SIZE TAE	LE SQUARE	BLOCK	SIZE TAE	SLE SQUARE
C2	25.00'	45.67'	39.58'	S 10'54'21" E	104*39'45"	NUMBER	NUMBER	FEET	NUMBER	NUMBER	FEET
C3	487.50' 430.00'	114.03' 76.89'	113.77' 76.79'	S 56°32'07" E N 52°46'15" W	13°24'06" 10°14'42"		15 16	6,000 6,000	10 10	23 24	6,000 6,000
C5	430.00'	54.29'	54.26	N 61'30'37" W	7'14'03"	1	17 18	6,000 6,556	10 10	25 26	6,000 6,000
C6	430.00' 430.00'	107.50' 12.00'	107.22'	N 57*57'56" W N 50*00'14" W	14°19'26" 1°35'58"	1	19 20	5,997 6,000	10 10	27 28	6,291 6,485
C8	730.00'	556.69'	543.30'	N 26'43'44" W	43°41'35"	1	21 22	6,584 6,000	10 10	29 30	6,315
C9 C10	150.00' 295.00'	59.70' 94.22'	59.31 ² 93.82 ²	N 83*28'50" W N 04*16'02" E	22°48′14" 18°17'56"	1	23 24	5,737 7,544	10 10	31 32	6,000 7,406
C11	295.00' 585.00'	149.86' 186.84'	148.25' 186.04'	N 27*58'11" E N 04*16'02" E	29°06′22″ 18°17′56″	1	25 26	10,214 10,007	11	21 22	7,892 5,923
C13	585.00'	297.18'	293.99'	N 27'58'11" E	29'06'22"	4 4	3 4	6,017 6,009	11	23 24	5,904 5,885
C14 C15	200.00'	28.40' 28.40'	28.38' 28.38'	N 00°48'50" W N 00°48'50" W	8'08'13" 8'08'13"	4 4	5	6,015 6,558	11	25 26	5,979 6,193
C16	25.00'	21.03'	20.41'	S 28'58'38" E	48'11'23"	4	7	5,902	îî	27	6,204
C17 C18	50.00' 150.00'	18.57' 20.26'	18.46' 20.24'	S 42°25'56" E N 01°00'49" W	21°16'46" 7°44'16"	4	8 9	5,933 6,626	11	28 29	6,122 6,182
C19 C20	150.00' 25.00'	20.26' 32.05'	20.24' 29.90'	N 01*00'49" W N 78*08'56" E	7°44'16" 73°26'49"	4	10 11	6,380 6,639	11 11	30 31	6,142 6,087
C21	25.00'	42.86'	37.80'	N 07'41'30" W	98'14'21"	4	12 13	5,789 19,033	11 11	32 33	6,044 6,140
C22	25.00' 25.00'	39.27' 39.27'	35.35' 35.36'	N 86'25'21" E N 03'34'39" W	89*59'39" 90*00'21"	4	14 15	13,987 5,664	11 11	34 35	6,135 6,278
C24	25.00'	39.27	35.35'	N 86'25'21" E	89*59'39"	4	16 17	5,816 6,686	11 11	36 37	6,161 6,122
C25 C26	25.00' 25.00'	39.27' 39.27'	35.36' 35.36'	N 03*34'30" W N 86*25'30" E	90°00'03" 89°59'57"	4	18 19	6,078 6,092	11 11	38 39	6,001 7,967
C27 C28	755.00' 755.00'	23.18' 47.60'	23.18' 47.59'	N 47*41'45" W N 45*00'37" W	1°45'32" 3°36'44"	4	20 21	6,105 6,665	11	40 41	6,346 5,400
C29	755.00'	48.41'	48.40'	N 41'22'03" W	3'40'24"	4	22 23	5,985 5,991	11 12	42	5,400 10,181
C30	755.00° 755.00°	48.41' 48.41'	48.40' 48.40'	N 37*41'39" W N 34*01'14" W	3'40'24" 3'40'24"	4 5	24	6,010 6,011	12	$\frac{\hat{2}}{3}$	8,202 7,350
C32	755.00'	48.41'	48.40'	N 30'20'50" W	3'40'24"	5 5	3 4	6,000 6,000	12 12	4 5	6,498 6,062
C33	755.00' 755.00'	48.41' 48.41'	48.40' 48.40'	N 26'40'26" W N 23'00'01" W	3'40'24" 3'40'24"	5 5	5	6,636 6,029	12 12 12	6 7	6,043 6,025
C35 C36	755.00' 755.00'	48.41' 48.41'	48.40' 48.40'	N 19*19'37" W N 15*39'13" W	3°40'24" 3°40'24"	5 5	7 8	6,017 6,052	12	8	6,067
C37	755.00'	48.41'	48.40'	N 11'58'48" W	3'40'24"	5	9	7,048	12 12	10	6,440 6,515
C38 C39	755.00' 755.00'	48.41'	48.40' 20.92'	N 08'18'24" W N 05'40'34" W	3°40'24" 1°35'15"	5	10 11	7,244 6,351	12 12	11 12	6,402 7,902
C40	25.00'	39.27	35.36'	N 49'52'57" W	90'00'00"	5	12 13	8,027 9,957	12 12	13 14	7,140 7,273
C41 C42	25.00' 320.00'	39.27' 22.99'	35.36' 22.98'	N 40°07'03" E N 02°49'27" W	90°00'00" 4°06'59"	5	14 2	15,377 6,622	12 12	15 16	7,158 7,119
C43	320.00' 320.00'	46.42' 32.79'	46.38' 32.78'	N 03*23'22" E N 10*28'51" E	8'18'40" 5'52'18"	7 7	3 4	6,601 6,866	12 12	17 18	6,953 6,719
C45	320.00'	34.01'	33.99'	N 16'27'41" E	6'05'23"	7 7	5 6	7,223 7,021	12 13	19 1	6,808 7,541
C46 C47	320.00' 320.00'	46.42' 46.42'	46.38' 46.38'	N 23°39'42" E N 31°58'22" E	8'18'40" 8'18'40"	7	7 8	6,703 6,518	13 13	2 3	8,562 8,265
C48 C49	320.00' 25.00'	35.71' 39.27'	35.70' 35.36'	N 39'19'32" E N 02'28'38" W	6°23'40" 90°00'00"	7	9 10	6,600 6,600	13 13	<u>4</u> 5	7,399 7,363
C50	25.00'	39.27	35.36'	N 87'31'22" E	90'00'00"	7	11 12	6,600 6,944	13 13	<u>6</u> 7	7,328 7,958
C51 C52	560.00' 560.00'	48.81' 60.24'	48.80' 60.22'	N 40°01'32" E N 34°26'48" E	4*59'39" 6*09'50"	7	13 14	7,149 6,751	13 13	<u>8</u> 9	8,244 8,400
C53	560.00'	60.24'	60.22'	N 28'16'58" E	6'09'50"	7 7	15 16	6,426 6,560	14 14	1 2	9,457 8,662
C54 C55	560.00' 560.00'	60.24' 54.93'	60.22' 54.91'	N 22*07'08" E N 16*13'37" E	6'09'50" 5'37'14"	7	17 18	6,690 8,644	14	3 4	8,662 8,662
C56 C57	560.00' 560.00'	31.77' 60.24'	31.77' 60.22'	N 11'47'29" E N 07'05'03" E	3°15'02" 6°09'50"	9	17 18	8,505 6,000	14	5 6	8,662 8,662
C58	560.00'	60.24'	60.22'	N 00°55'13" E	6'09'50"	9	19 20	6,000 6,000	14	7 8	8,662 8,662
C59 C60	560.00' 610.00'	26.59' 35.61'	26.59' 35.60'	N 03'31'19" W N 03'12'36" W	2°43'15" 3°20'41"	9	21 22	6,000 6,000	14	9 10	8,662 8,662
C61 C62	610.00'	52.85'	52.83'	N 00°56'40" E	4*57'51"	9	23 24	6,000 6,000	14	11 12	8,662 8,662
C63	610.00' 610.00'	52.85' 53.51'	52.83' 53.49'	N 05*54'31" E N 10*54'13" E	4*57'51" 5*01'34"	9	25 26	6,000 6,000	14 14 14	13 14	8,662 8,662
C64 C65	610.00'	44.47' 52.85'	44.46' 52.83'	N 15'30'18" E N 20'04'33" E	4*10'37" 4*57'51"	9	27 28	6,000 6,000	14 14 15	15	8,662 8,777
C66	610.00'	52.85'	52.83'	N 25'02'24" E	4*57'51"	9 9	29	6,000 8,505	15	2	8,469 11,472
C67 C68	610.00' 610.00'	52.85' 52.85'	52.83' 52.83'	N 30°00'15" E N 34°58'06" E	4*57'51" 4*57'51"	10	30 2 3	6,001 6,000	15 15	4	8,678
C69 C70	610.00' 25.00'	54.00' 39.27'	53.99' 35.36'	N 39*59'12" E N 02*28'38" W	5'04'21" 90'00'00"	10	4	6,197	15 15	6	8,467 8,400
C71	25.00'	39.27	35.36'	N 87'31'22" E	90'00'00"	10	5 6	6,485 6,616	15 15	8	8,400 8,400
C72	270.00' 270.00'	80.12' 57.04'	79.83' 56.93'	N 34'01'19" E N 19'28'08" E	17'00'07" 12'06'15"	10 10	8	6,313 5,999	16 16	1 2	8,400 8,400
C74 C75	270.00' 270.00'	44.26' 41.97'	44.21	N 08'43'14" E N 00'25'45" W	9°23'32" 8°54'24"	10 10	9 10	6,000 6,000	16 16	3 4	8,400 8,400
C76	175.00'	69.65'	41.93' 69.19'	N 83°28'50" W	22°48'14"	10 10	11 12	6,004 6,521	16 16	<u>5</u>	8,400 8,400
C77	125.00' 25.00'	49.75' 39.27'	49.42' 35.36'	N 83°28'50" W N 40°07'04" E	22'48'14" 89'59'58"	10 10	13 14	6,538 6,270	16 16	7 8	8,400 8,400
C79	705.00'	10.17	10.17'	N 05'17'45" W	0'49'36"	10 10	15 16	6,234 6,347	17 17	1 2	8,400 8,400
C80 C81	705.00' 705.00'	57.80' 57.80'	57.79' 57.79'	N 08'03'28" W N 12'45'20" W	4'41'52" 4'41'52"	10 10	17 18	7,012 6,766	TRAC		513,079 60,680
C82	705.00' 705.00'	57.80' 72.02'	57.79' 71.99'	N 17'27'12" W N 22'43'43" W	4°41'52" 5°51'11"	10 10	19 20	6,519 6,965	TRAC TRAC	CTE	11,887 15,446
C83 C84	705.00'	63.59'	63.57'	N 28'14'21" W	5'10'04"	10	21 22	6,573 6,331	TRAC		19,565
C85 C86	705.00' 705.00'	63.59' 63.59'	63.57' 63.57'	N 33*24'25" W N 38*34'29" W	5'10'04" 5'10'04"			V,001			
C87	705.00'	63.59'	63.57	N 43'44'33" W	5'10'04"						
C88 C89	705.00' 224.98'	27.67' 31.95'	27.67' 31.92'	N 47*27'03" W N 00*48'49" W	2*14'57" 8*08'13"			LINE '	TABLE		
C90 C91	175.00' 50.00'	24.85' 49.53'	24.83' 47.53'	N 00'48'50" W	8'08'13"			BEARING N 85'07'03	DISTANCE " E 25.11'		
C92	50.00'	33.98'	33.33'	S 03*24'45" E S 44*26'20" W	56'45'37" 38'56'33"			14 05 07 05	L 20.11		
C93	175.00' 125.00'	23.63' 16.88'	23.62' 16.87'	N 01°00'49" W N 01°00'49" W	7*44'16" 7*44'16"						
C95	175.00'	23.63'	23.62'	N 01'00'49" W	7'44'16"						
C96 C97	125.00' 50.00'	16.88' 37.54'	16.87' 36.67'	N 01°00'49" W S 85°25'13" W	7*44'16" 43*01'13"						
C98 C99	50.00' 50.00'	46.99' 54.57'	45.28' 51.90'	N 46'08'43" W N 12'02'35" E	53*50'54" 62*31'42"						
C100	25.00'	0.52'	0.52'	N 42'42'47" E	1'11'18"						
C101 C102	25.00' 50.00'	20.51' 41.73'	19.94' 40.53'	N 18'37'06" E S 19'01'44" W	47'00'05" 47'49'21"						
C103	50.00'	51.22'	49.01'	S 72°17'13" W	58'41'36"						
C104 C105	225.00' 225.00'	29.50' 2.45'	29.48' 2.45'	N 01°07'36" W N 02°56'31" E	7*30'42" 0*37'30"						
C106 C107	175.02' 400.00'	24.86' 58.06'	24.83' 58.01'	N 00°48'52" W N 60°58'10" W	8'08'13" 8'18'58"						
C108	460.00'	11.83'	11.83'	N 48'23'05" W	1'28'23"						\$ 1
C109 C110	25.00' 25.00'	39.51' 39.27'	35.52' 35.36'	N 03'50'53" W N 49'52'57" W	90 ' 32'48" 90'00'00"						
C111 C112	50.00' 995.00'	33.98' 0.56'	33.33' 0.56'	N 58*53'43" W N 48*33'45" W	38°56'33" 0°01'56"						
C113	400.00'	11.40'	11.40'	S 48*27'54" E	1°38'01"						j. vo.
C114	50.00'	35.91'	35.14'	N 18'50'55" W	41'09'04"						5 ***%

POSITIVE OVERFLOW TYPICAL CROSS SECTION TRIANGULAR-BOTTOMED, GRASS-LINED, MIN. 1' DEEP, 1% GRADE (MINIMUM)

CLIENT NAME: WBW DEVELOPMENT GROUP, LLC.-SERIES 017

CLIENT LOCATION: KILLEEN, TX

ONE-HALF EASEMENT WIDTH -

CHANGES PER SDRC COMMENTS

ORIGINAL RELEASE

PROJECT NUMBER: EW02

APPROVED BY: SAB AUTHORIZED BY: WBW

UPDATED LOT SIZE TABLE AND CURVE TABLE

REMOVED COUNTY JUDGE SIGNATURE BLOCK AND LOT MATRIX

NOTE: Fences crossing this swale must allow free passage of storm water within the swale

DESCRIPTION

FLOW LINE

INDICATES DIRECTION OF FLOW

PROJECT INFORMATION

TOTAL SIZE: 55.55 ACRE

TOTAL BLOCKS: 11

TOTAL TRACTS: 5

BTW TOTAL LOTS: 192

BTW

EU

BTW

8/2/2016

7/26/2016

6/1/2015

4/27/2015

GENERAL NOTES:

- SQUARE
 FEET
 6,000
 6,000
 6,000
 6,000
 6,000
 6,000
 6,315
 6,000
 6,000
 7,406
 7,892
 5,923
 5,904
 5,885
 5,979
 6,193
 6,204
 6,122
 6,182
 6,182
 6,142
 6,087
 6,044
 6,140
 6,135
 6,278
 6,161
 6,122
 6,001
 7,967
 6,346
 5,400
 5,400
 10,181
 8,202
 7,350
 6,498
 6,062
 6,043
 6,025
 6,067
 6,440
 6,515
 6,402
 7,902
 7,140
 7,273
 7,158
 7,119
 6,953
 6,719
 6,953
 6,719
 6,953
 6,719
 6,953
 7,363
 7,328
 7,399
 7,363
 7,363
 7,328
 7,958
 8,264
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662
 8,662 ALL PERMANENT CORNERS SET ARE 1/2" IRON RODS WITH CAP MARKED "YALGO 6200" UNLESS OTHERWISE NOTED HEREON. IRON RODS SET IN AREAS WHERE THERE IS AN EXPECTATION OF DISTURBANCE WILL NOT BE CONSIDERED PERMANENT AND NOT MARKED ACCORDINGLY.
 - SIDEWALKS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE CITY OF BRYAN SIDEWALK ORDINANCE.
 - PROPOSED LAND USE: SINGLE FAMILY RESIDENTIAL.
 - BEARING SYSTEM SHOWN HEREON IS BASED ON GRID NORTH AS ESTABLISHED FROM GPS OBSERVATION PROVIDED BY OTHERS.
 - ARROW () INDICATES THAT THE DOWNSTREAM LOT MUST RECEIVE AND CONVEY STORMWATER RUNOFF WITHOUT IMPEDIMENT OR DIVERSION TO OTHER LOTS. FENCES SHOULD BE CONSTRUCTED IN SUCH A WAY AS TO ALLOW WATER TO PASS THROUGH OR UNDER THEM TO NOT OBSTRUCT THE FLOW OF STORM WATER.

ROAD WIDTH


MAJOR COLLECTORS = 80' ROW, 38' BOC-BOC (VIVA ROAD) MINOR COLLECTORS = 60' ROW, 38' BOC-BOC (CHICK LANE AND KINGSGATE DRIVE) LOCAL STREETS = 50' ROW, 27' BOC-BOC

ZONING OF THIS PROPERTY IS A PLANNED DEVELOPMENT- HOUSING (PD-H) DISTRICT, AS APPROVED BY THE BRYAN CITY COUNCIL ON JUNE 25, 2013 (ORDINANCE NO. 1998). LAND USE AND PHYSICAL DEVELOPMENT SHALL BE ALLOWED IN ACCORDANCE WITH THE PD-H DISTRICT REQUIREMENTS.

NO LOTS SHALL HAVE DRIVEWAY ACCESS TO CHICK LANE. LOT 1 BLOCK 13, LOTS 17 AND 18 BLOCK 10 AND LOT 18 BLOCK 7 SHALL NOT HAVE DRIVEWAY ACCESS TO KINGSGATE DRIVE. LOTS 17-30 BLOCK 9, LOTS 39 AND 40 BLOCK 11 AND LOT 19 BLOCK 12 SHALL NOT HAVE ACCESS TO VIVA ROAD. LOTS 1-15 BLOCK 14 SHALL HAVE AN ADEQUATE DRIVEWAY SO VEHICLES WILL NOT NEED TO BACK DIRECTLY ONTO VIVA ROAD. LOTS 1-8 BLOCK 15, LOTS 1-8 BLOCK 16, LOTS 1 AND 2 BLOCK 17 AND LOT 9 BLOCK 13 SHALL HAVE AN ADEQUATE DRIVEWAY SO VEHICLES WILL NOT NEED TO BACK DIRECTLY ONTO KINGSGATE DRIVE.

MINIMUM BUILDING SETBACKS SHALL BE AS FOLLOWS:

- 5' SIDE YARD SETBACK
- 7.5' REAR YARD SETBACK
- 25' FRONT YARD SETBACK
- 15' STREET SIDE YARD SETBACK
- 25' STREET SIDE YARD SETBACK ADJACENT TO ARTERIAL STREETS.
- ALL DEVELOPMENT AND CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CITY OF BRYAN STANDARDS, ORDINANCES AND REGULATIONS.
- THIS TRACT IS SHOWN TO BE WITHIN SPECIAL FLOOD HAZARD AREA ZONE X, PER FEMA'S FLOOD INSURANCE RATE MAP (FIRM) PANEL NUMBER 48041C0285E FOR BRAZOS COUNTY, TEXAS DATED AUGUST 12, 2013, PANEL AND PANEL NUMBER 48041C0195E FOR BRAZOS COUNTY, TEXAS DATED JULY 7, 2014. THE SURVEYOR DOES NOT CERTIFY AS TO THE ACCURACY OR INACCURACY OF SAID INFORMATION AND DOES NOT WARRANT OR IMPLY THAT STRUCTURES PLACED WITHIN ANY OF THE PLATTED AREAS WILL BE FREE FROM FLOODING OR FLOOD DAMAGE. THE SURVEYOR WOULD ADVISE PROPERTY OWNERS HAVING PROPERTY ADJACENT TO, OR WITHIN, SPECIAL FLOOD HAZARD AREAS TO CONTACT THE APPROPRIATE LOCAL FLOODPLAIN ADMINISTRATOR WITH REGARDS TO ANY FLOODPLAIN RELATED QUESTIONS.
- TRACT C, D, E, F AND G OWNERSHIP SHALL BE CONVEYED TO THE HOMEOWNERS ASSOCIATION. OPERATION, MANAGEMENT, MAINTENANCE REPAIR AND USE OF SAID COMMON AREAS SHALL BE THE RESPONSIBILITY OF THE EDGEWATER HOMEOWNERS ASSOCIATION. PIPING LOCATED IN THE RIGHT OF WAY OR PUBLIC DRAINAGE EASEMENTS SHALL BE MAINTAINED BY THE CITY OF BRYAN, IN ADDITION TO OWNERSHIP CONVEYANCE, TRACTS C, D, E, F AND G SHALL BE PRIVATE DRAINAGE
- THIS PRELIMINARY PLAN IS TO REPLACE PRELIMINARY PLAN OF EDGEWATER SUBDIVISION - PHASE 2 ON 65.67 ACRES FOR 198 LOTS WHICH THE CITY OF BRYAN SITE DEVELOPMENT REVIEW COMMITTEE APPROVED ON MARCH 31, 2015 (CASE NO. PP15-04



LOCATION MAP NOT TO SCALE BENCHMARK CITY OF BRYAN GPS-72 ELE: 281.76 N:10212121.122 E:3536404.605

CITY OF

FIELD NOTES

All that certain tract or parcel of land situated in, and being out of the T.J. Wooten League, A-59, Brazos County, Texas, said tract being a part of that certain called 166.20 acre tract described in deed to WBW LAND INVESTMENTS, LP., recorded in Volume 10251, Page 87, Official Public Records of Brazos County, Texas, and being more particularly described by metes and bounds as follows:

BEGINNING at an iron rod set on the southeast line of said 166.20 acre tract and the northwest line of Oak Meadow Subdivision, Phase 3, according to the plat recorded in Volume 7099, Page 243 of the Official Records of Brazos County, Texas, from which a 1/4 inch iron rod found in concrete for the south corner of said 166.20 acre tract and the west corner of said Oak Meadow Subdivision bears S 40° 01' 31" W, 301.21 feet, said POB being the most southerly corner of the herein described tract;

THENCE across and upon said 166.20 acre tract for the following twelve (12) courses:

- 1. N 47° 28' 38" W, 1444.27 feet to an iron rod set for the southwest corner of the herein described tract;
- 3. N 17° 55' 17" E, 251.10 feet to an iron rod set in the north line of Kyra Lane, and also being a line corner of the herein described tract;
- 4. S 72° 04' 43" E, along the north line of Kyra Lane for a distance of 49.53 feet to an iron rod set; 5. N 13° 56' 37" E, 208.91 feet to an iron rod set;
- 6. N 04° 27' 15" W, 199.65 feet to an iron rod set;
- 7. N 12° 16' 42" W, 143.71 feet to an iron rod set; 8. N 24° 08' 37" W, 59.81 feet to an iron rod set;

2. N 42° 31' 22" E, 323.49 feet to an iron rod set;

- 9. N 33° 35' 49" W, 157.70 feet to an iron rod set;
- 10.N 47° 07' 11" W, 219.06 feet to an iron rod set; 11.N 41° 25' 31" E, 72.19 feet to an iron rod set;
- 12.N 48° 34' 29" W, 200.00 feet to an iron rod set for a corner in the southeast line of a called 48.46 acre tract as described by a Deed to John M. Heard recorded in Volume 5967, Page 42 of the Official Public Records of Brazos County, Texas, for the most westerly corner of the herein

THENCE N 41° 25' 32" E, along the common line of said 166.20 acre tract and said 48.46 acre tract, at 669.44 feet pass a 4 inch fence post found in an old fence line, continue on for a total distance of 1151.44 feet to an iron rod set marking the north corner of herein described tract, and from which a reference 1/2 inch iron rod found for the east corner of said 48.46 acre tract bears: N 42° 09' 31" E for a distance of 11.69 feet;

THENCE S 47° 39' 13" E, across and upon said 166.20 acre tract in a southeasterly direction along the northeast margin of Autumn Lake Drive for a distance of 83.91 feet to an iron rod set for the beginning of a compound curve to the left with the following calls:

- 1. along said curve to the left, having a radius of 400.00 feet, an arc length of 11.40 feet, a chord bearing S 48° 27' 54" E, 11.40 feet, to an iron rod set for the beginning of next curve to the left;
- 2. along said next curve to the left, having a radius of 25.00 feet, an arc length of 38.96 feet, a chord bearing N 86° 04' 19" E, 35.14 feet, to an

iron rod set for the end of said curve; THENCE N 41° 25' 31" E, along the northwest line of Viva Road for a distance of 23.49 feet to an iron rod set;

THENCE S 48° 34' 29" E, across Viva Road for a distance of 80.00 feet to an iron rod set in the southeast line of Viva Road and a corner of the herein described tract;

THENCE in a southwesterly direction along a curve to the left, having a radius of 25.00 feet, an arc length of 45.67 feet, a chord bearing S 10° 54' 21" E, 39.58 feet, to an iron rod set for the end of said curve and beginning of reverse curve;

THENCE in a curve to the right, having a radius of 487.50 feet, an arc length of 114.03 feet, a chord bearing S 56 °32' 07" E, 113.77 feet, to an iron rod found for the end of said curve marking a northeast corner of the herein described tract and the north corner of the Edgewater Phase I Subdivision, according to the plat recorded in Volume 13034, Page 190-191 of the Official Records of Brazos County, Texas, for a corner of the herein described

THENCE S 41° 25' 31" W, along the northwest line of said Edgewater Phase I Subdivision for a distance of 972.28 feet to an iron rod found;

THENCE continuing across and upon said 166.20 acre tract in a southeasterly direction along the common line of said Edgewater Phase I Subdivision for the following calls:

- 1. S 46° 30' 02" E, 93.39 feet to an iron rod found: 2. S 36° 42' 30" E, 131.19 feet to an iron rod found;
- 3. S 29° 17' 51" E, 135.73 feet to an iron rod found:
- 4. S 22° 42' 01" E, 87.35 feet to an iron rod found; 5. S 15° 19' 25" E, 135.98 feet to an iron rod found;
- 6. S 05° 18' 57" E, 438.60 feet to an iron rod found;

THENCE N 85° 03' 22" E, along the common line of said Edgewater Phase I Subdivision for a distance of 290.00 feet to an iron rod found;

THENCE N 85° 07' 03" E, along the common line of said Edgewater Phase I Subdivision for a distance of 545.00 feet to an iron rod found;

THENCE S 78° 10' 59" E, along the common line of said Edgewater Phase I Subdivision for a distance of 52.20 feet to an iron rod found;

THENCE N 85° 07' 03" E, along the common line of said Edgewater Phase I Subdivision for a distance of 120.00 feet to an iron rod found for a corner in the herein described tract;

THENCE continuing across and upon said 166.20 acre tract in a southerly direction along the common line of said Edgewater Phase I Subdivision for the following ten (10) courses:

- 1. S 04° 52' 57" E, 161.23 feet to an iron rod found; 2. S 03° 37' 35" E, 12.93 feet to an iron rod found;
- 3. S 01° 32' 46" W, 53.66 feet to an iron rod found;
- 4. S 02° 51' 19" W, 100.00 feet to an iron rod found 5. S 04° 34' 54" E, 46.63 feet to an iron rod found;
- 6. S 04° 52' 57" E, 150.00 feet to an iron rod found; 7. S 02° 58' 52" E, 50.03 feet to an iron rod found;
- 8. S 07° 38' 00" W, 30.73 feet to an iron rod found; 9. S 19° 48' 55" W, 101.67 feet to an iron rod found;
- 10.S 50° 18' 43" E, 83.05 feet to an iron rod found in the northwest line of a called 5.88 acre tract as described by a Deed to Gerald A. Manry recorded in Volume 2289, Page 83 of the Official Public Records of Brazos County, Texas, and for the east corner of the herein described tract;

THENCE S 39° 41' 17" W, along the common line of said 166.20 acre tract and said 5.88 acre tract for a distance of 86.25 feet to a 1 inch iron rod found in concrete marking the corner of the remainder of a called 93.50 acre tract described by a Deed to Jerry & Kim Manry, recorded in Volume 4374, Page 340 of the Official Public Records of Brazos County, Texas;

1/2 inch iron rod found marking the most northerly corner of a called 5.00 acre tract as described by a Deed to St. Luke's United Methodist Church of Bryan recorded in Volume 8593, Page 280 of the Official Public Records of Brazos County, Texas; THENCE S 40° 04' 12" W, along the common line of said 166.20 acre tract and said 5.00 acre tract for a distance of 76.38 feet to a 1/2 inch iron rod

THENCE S 40° 04' 26" W, along the common line of said 166.20 acre tract and said remainder of the 93.5 acre tract for a distance of 241.82 feet to a

Records of Brazos County, Texas; THENCE S 40° 01' 31" W along the common line of said 166.20 acre tract and said Oak Meadow Subdivision, Phase 2 and Phase 3, for a distance of 666.41 feet to the POINT OF BEGINNING, and containing 55.55 acres of land, more or less.

found marking the north corner of Oak Meadow Subdivision, Phase 2, according to the Plat recorded in Volume 4759, Page 19 of the Official Public

The bearings recited hereon are grid bearings derived from GPS observations based on the Texas State Plane Coordinate System, NAD1983 (2011) datum, Texas Central Zone No. 4203. All distances are horizontal ground distances. The average Combined Correction Factor (CCF) is 0.99989089. Grid distance = Ground Distance x CCF. Permanent iron rods set for corner are 1/2 inch iron rods with cap marked "YALGO 6200", unless otherwise noted herein.

PHASE II PRELIM. PLAN	PHASE I FINAL PLAT
3	120
118	29
37	16
34	1
192	166
	PLAN 3 118 37 34

Surveying Firm 10194095

PRELIMINARY PLAN

EDGEWATER PHASE II

TO THE CITY OF BRYAN, BRAZOS COUNTY, TEXAS

BEING PART OF THE ZENO PHILLIPS LEAGUE, A-45 AND T. J.

WOOTEN LEAGUE, A-59 BRAZOS COUNTY, TEXAS

	LOTS AND BLOCKS	OWNER INFO	Yalgo, LLC	
PRELIMINARY PLAN	LOTS 15-26, BLOCK 1 LOTS 1-9, BLOCK 13 LOTS 3-24, BLOCK 4 LOTS 1-15, BLOCK 14	WBW LAND INVESTMENTS,	3000 Illinois Ave., Suite 100	SHEET
EDGEWATER PHASE II	LOTS 2-14, BLOCK 5 LOTS 1-8, BLOCK 15 LOTS 2-18, BLOCK 7 LOTS 1-8, BLOCK 16 LOTS 17-30, BLOCK 9 LOTS 1-2, BLOCK 17	LP 3000 Illinois Ave., Suite 100	Killeen, TX 76543 PH (254) 953-5353 FX (254) 953-5057	1
F BRYAN, BRAZOS COUNTY, TEXAS	LOTS 2-32, BLOCK 10 LOTS 21-42, BLOCK 11 LOTS 1-19, BLOCK 12	Killeen, TX 76543 PH (254) 953-5353 FX (254) 953-5057	Texas Registered Engineering Firm F-10264	OF
			Texas Registered	7

